

PRICE LIST

Feet (feet)			Metric (m)			Max. number of viewers	Model	Screen format	Price (EUR)
Screen width	Screen height	Screen off the ground	Screen width	Screen height	Screen off the ground				
10.00	5.58	3.28	3.00	1.70	1.00	50	nano	16:9	2,590
16.00	9.00	5.74	4.88	2.74	1.75	100	airtight	16:9	3,890
20.00	11.25	5.74	6.10	3.43	1.75	200	classic	16:9	5,790
20.00	11.25	5.74	6.10	3.43	1.75	200	airtight	16:9	6,290
24.00	13.52	5.74	7.32	4.12	1.75	400	classic	16:9	7,490
24.00	13.52	5.74	7.32	4.12	1.75	400	airtight	16:9	7,990
30.00	17.00	6.56	9.15	5.15	2.00	800	classic	16:9	10,990
40.00	20.00	7.22	12.00	6.00	2.20	1,500	classic	2:1	17,990
52.00	26.00	9.84	16.00	8.00	3.00	3,000	classic	2:1	27,990

REMARKS

- ▶ Valid from 2016-03-15
- ▶ Price (net, ex works) includes inflatable frame, front or rear projection screen surface, screen ties, belts, ratchets and blower
- ▶ Two year warranty against defects in materials and workmanship
- ▶ Extended warranty: One additional year of coverage for 10% surcharge (e.g. 579 EUR for 6.10 m AIRSCREEN classic)
- ▶ All components: B1 flame retardant
- ▶ Additional or special screen surfaces (e.g. winter, perforated, etc.) upon request
- ▶ The 40 ft (12 m) and 52 ft (16 m) AIRSCREEN classic include additional eyelet rows on the backside (for smaller sizes upon request)
- ▶ For AIRSCREEN sizes larger than 30 ft (9.15 m) a set-up training is mandatory (not included in the price)
- ▶ Fixing systems (e.g. ground anchors) and transport cases available upon request
- ▶ Individual sizes, colours and formats (e.g. cinemascope) upon request
- ▶ Technical specifications may vary slightly and maybe changed for improving the product
- ▶ All sizes also available as complete OUTDOOR CINEMA SYSTEMS with projection and sound included

YOUR ADVANTAGES

- ▶ **Thick fabric with high-frequency-welding technology for more durability**
- ▶ **Strong theatrical screen surface for a wrinkle-free viewing experience even with high winds**
- ▶ **Screen surface with black backside for more contrast and no disturbing ambient light**
- ▶ **Rapid inflation and deflation of the frame means safety in extreme conditions**
- ▶ **We are the trusted brand for professionals in over 110 countries around the globe**

SIZE OVERVIEW



AIRSCREEN nano 10 ft (3.00 m)
for up to 50 viewers



AIRSCREEN airtight 16 ft (4.88 m)
for up to 100 viewers



AIRSCREEN airtight/classic 20 ft (6.10 m)
for up to 200 viewers



AIRSCREEN airtight/classic 24 ft (7.32 m)
for up to 400 viewers or 30 cars



AIRSCREEN classic 30 ft (9.15 m)
for up to 800 viewers or 50 cars

* Height of person illustrated: 5.7 ft (1.75 m)



AIRSCREEN classic 40 ft (12 m)
for up to 1,500 viewers or 150 cars



AIRSCREEN classic 52 ft (16 m)
for up to 3,000 viewers or 250 cars